\*RETURN TO FMF - LOCATION 7540 QUERY CONTROL FORM RTIS USE ONLY Application No. Prepared by Tracking Number **Examiner-GAU** Week Date Date No. of queries **JACKET** f. Foreign Priority a. Serial No. k. Print Claim(s) p. PTO-1449 b. Applicant(s) g. Disclaimer I. Print Fig. q. PTOL-85b c. Continuing Data h. Microfiche Appendix m. Searched Column r. Abstract d. PCT i. Title n. PTO-270/328 s. Sheets/Figs e. Domestic Priority j. Claims Allowed o. PTO-892 t. Other **SPECIFICATION** MESSAGE #7 a. Page Missing b. Text Continuity c. Holes through Data d. Other Missing Text e. Illegible Text f. Duplicate Text g. Brief Description h. Sequence Listing i. Appendix **Amendments** k. Other **CLAIMS** a. Claim(s) Missing b. Improper Dependency c. Duplicate Numbers d. Incorrect Numbering e. Index Disagrees SEFATTACHMEN **RESPONSE** f. Punctuation 940 **Amendments** h. Bracketing Missing Text **Duplicate Text** k. Other

initials



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

FIRST NAMES APPLICANT FILING/RECEIPT DATE ATTORNEY DOCKET NUMBER APPLICATION NUMBER 09/515314 02/29/2000 PRINCE, KELLI E. 2470-007

FINA TECHNOLOGY INC PO BOX 674412 **HOUSTON TX 77267-4412** 

Examiner GRIFFIN, WALTER

Art Unit 1764

Paper Number

Date Mailed: 04-23-04

## **Notice Regarding Drawings**

Corrected drawings for the above-identified application, received in the USPTO on 12-31-03 are still not acceptable for the reason(s) identified on the attached PTO-948. Applicant is given one opportunity to correct the informalities within a two-month time period from the mailing date of this Notice. THIS TIME PERIOD IS NOT EXTENDABLEUNDER EITHER 37 CFR 1.136(a) OR 1.136(b). Failure to take corrective action within the set period will result in abandonment of the application.

ATTACHMENT: PTO-948 Notice of Draftsperson's Patent Review

**RETURN CORRECTED DRAWINGS TO:** 

**Commissioner for Patents** 

P.O. Box 1450

Alexandria, Virginia 22313-1450

Joshua D. Chase

Office of Patent Publication,

**Publishing Division** 

703-305-8404

## NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

Color drawings are not acceptable until petition is granted. Fig(s)  Pencil and non black ink not permitted. Fig(s)  Pencil and non black ink not permitted. Fig(s)  Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet.paper size requirements of 37 CFR 1.84(f). Fig(s)  Photographs must meet.paper size requirements of 37 CFR 1.84(e). Photographs must meet.paper size requirements of 37 CFR 1.84(f). Fig(s)  3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 I/2x I1 inches) All drawing sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s)  S. MARGINS. 37 CFR 1.84(g). Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s)  Top (T) Left (L). Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(p) Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable e. Fig(s)  Top (T) Left (L). Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(p)  Views not labeled separately or properly. Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Solid black sarcas and reference characters must bat legible. Fig(s)  Label Lines, numbers de letters not uniformly thick and well defined, clean, durable, and black (poor lin quality). Fig(s)  Solid black areas pale, Fig(s)  Solid black starsa pale, Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)  Lines, numbers and reference characters not oriented in the same direction	1. DRAWINGS. 37 CFR 1.84(a): Acceptable categories of drawings: Black ink or	8. ARRANGEMENT OF VIEWS. 37 CFR 1.84(i) Words do not appear on a horizontal, left-to-righ
2. PHOTOGRAPHS. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet.paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: Sheet(s) Drawings sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) Sheets not flessing thanged. Views not labeled separately or properly. Fig(s) Sheet(s) Sheet(	Color drawings are not acceptable until petition is granted. Fig(s)	graphs. Fig(s)
Photographs must meet, paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: Sloted black shading not permitted. Fig(s) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Photographs must meet, page and charge and durable. Lead lines missing. Fig(s)  Inc. CHARACTER OF LINES, NUMBERIS, & LETTERS. & PIS (4)  Lines, numbers & letters not uninformly thick and well defined, clean, durable, and black (poor lin quality). Fig(s)  Solid black shading not permitted. Fig(s)  Solid black streas pale. Fig(s)  Solid black streas pale. Fig(s)  12. NUMBERS, 37 CFR 1.84(p)  Solid black streas pale. Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s)  Numbers, letters not uniformly thick and vell defined, clean, durable, and legible. Fig(s)  12. NUMBERS, 37 CFR 1.84(p)(2)  Fig(s)  Numbers letters not uniformly thick and vell defined, clean, durab	<b>2. PHOTOGRAPHS.</b> 37 CFR 1.84(b)	Scale not large enough to show mechanism
Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig. 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  LETTERS. 37 CFR 1.84(t) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor lin quality). Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Figure legends are poor. Fig(s) Sig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Sig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not	Photographs must meet paper size requirements of	Fig(s)
Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s)  4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Shect(s) Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B)  6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Arabic or Roman numbers. Fig(s)  11. SHADING. 37 CFR 1.84(m) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s)  13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(u) Sheets not numbered consecutively, and in Arabinumbers in the same direction as the view. 37 CFR 1.84(u) Views not labeled separately or properly. Fig(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabinumbers in the same direction as the view. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabinumbers beginning with number 1. Sheet(s)  16. DESIGN DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabinumbers beginning with number 1. Fig(s)  Solid black surface shading is not per	Poor quality (half-tone). Fig(s)  3. TYPE OF PAPER. 37 CFR 1.84(e)	
4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes:  21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Shect(s) Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) In Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p) Lead lines missing. Fig(s)  13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(u) Sheets not numbered consecutively, and in Arabinumbers beginning with number 1. Sheet(s) Sheets not numbered consecutively, and in Arabinumbers beginning with number 1. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)	Erasures, alterations, overwritings. interlineations,	11. SHADING. 37 CFR 1.84(m)
21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches)	Fig(s)	Solid black shading not permitted. Fig(s)  12. NUMBERS, LETTERS, & REFERENCE
Sheet(s)	21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches)	Numbers and reference characters not plain and legible. Fig(s)
Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm  Margins not acceptable. Fig(s)  Top (T) Left (L) Right (R) Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Beglish alphabet not used. 37 CFR 1.84(p)(2)  Fig(s)  Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s)  13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(u) Sheets not numbered consecutively, and in Arabin numerals, beginning with number 1. Sheet(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabin numerals, beginning with number 1. Fig(s)  Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)	Sheet(s) Drawings sheets not an acceptable size. Fig(s)	Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)
Right (R) Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)	Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm  Margins not acceptable. Fig(s)	English alphabet not used. 37 CFR 1.84(p)(2) Fig(s)
correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)	Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h)	at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s)
specification, at the Brief Description of the Drawings, must likewise be changed.	correspond to drawing changes, e.g., if Fig. 1 is	
Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(u)  Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s)  16. DESIGN DRAWINGS. 37 CFR 1.152  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)	must likewise be changed.	Sheets not numbered consecutively, and in Arab
Arabic or Roman numbers. Fig(s)  16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted excewhen used to represent the color black as well as color contrast. Fig(s)	Fig(s)	15. NUMBERING OF VIEWS. 37 CFR 1.84(u) :Views not numbered consecutively, and in Arabi
Solid black surface shading is not permitted exce when used to represent the color black as well as color contrast. Fig(s)	<del></del>	16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate.
		Solid black surface shading is not permitted exce when used to represent the color black as well as
	OMMENTS:	color contrast. Fig(s)